08/12/2004 16:45 FAX 2010/036

Serial No.: 09/030,258

Art Unit: 2126

Atty. Docket No.: 12217-100

IN THE CLAIMS

A presentation of all of the pending Claims with their current status indicated follows.

1. (Currently Amended) A data processing system, comprising:

a plurality of event modules each including code that generates an event data signal

representative of a particular event;

a plurality of scripts each having a plurality of instructions, each of said scripts invoked

to perform a function in response to a corresponding one of said event data signals;

a plurality of processing modules distributed over said data processing system each

including code that provides processed data; and

a task module, selectively communicating with each of said plurality of event modules

and said plurality of distributed processing modules, said task module including code for selecting

one of said plurality of scripts that corresponds to said event data signal and for executing said

selected script such that said selected script proceeds to a first of said plurality of distributed

processing modules for processing a current one of said plurality of instructions;

wherein dynamic information comprises statuses of said distributed processing modules

and modifications to said selected script including processed data from previously processed

ones of said plurality of instructions, and wherein during execution of said selected script said

task module provides said dynamic information to said selected script, said selected script and

incorporating said dynamic information into said currently processing instruction for

consideration thereof, and

upon completion of said currently processing instruction of said selected script said task

module selected script evaluates said incorporated dynamic information provided by said task

08/12/2004 16:45 FAX @ 011/036

Serial No.: 09/030,258

Art Unit: 2126

module and processed data from said completed instruction and selectively executes a next one of

Atty, Docket No.: 12217-100

said plurality of instructions of said selected script, and wherein said task module, utilizing said

dynamic information, interacts with said plurality of distributed processing modules for selecting a

second available one of said plurality of distributed processing modules such that said selected

script proceeds to a second said second available one of said distributed processing modules for

processing [[a]] said next instruction within said selected script.

2. (Original) The system as claimed in claim 1 wherein said task module executes two or

more of said plurality of scripts substantially simultaneously.

3. (Original) The system as claimed in claim 2 further comprising:

a converter module, in communication with said task module, including code that maps

said event data signal to at least one of said two or more of said plurality of scripts upon reception

of said event data signal by said task module.

4. (Previously Presented) The system as claimed in claim 1 wherein said plurality of

distributed processing modules provide event data signals, representative of particular events, to

said task module.

5. (Previously Presented) The system as claimed in claim 1 further comprising:

a status monitoring module, in communication with said task module, including code that

provides said status information to said task module including operating conditions of said

plurality of distributed processing modules.

08/12/2004 16:45 FAX @ 012/036

Atty. Docket No.: 12217-100

Serial No.: 09/030,258

Art Unit: 2126

6. (Previously Presented) The system as claimed in claim 5 wherein said status monitoring

module is in direct communication with said plurality of distributed processing modules.

7. (Currently Amended) The system as claimed in claim 5 wherein during said execution

of said instance of said selected script, said status monitoring module stores data associated with

said instance of said selected script in an associated memory.

8. (Previously Presented) The system as claimed in claim 1 further comprising:

a load balancing module, in communication with said task module, including code that

dynamically selects available ones of said plurality of distributed processing modules to perform

processing.

9. (Previously Presented) The system as claimed in claim 8 wherein said load balancing

module is in direct communication with said plurality of distributed processing modules.

10. (Previously Presented) The system as claimed in claim 1 wherein said task module

interfaces with said plurality of distributed processing modules for bi-directionally and

substantially simultaneously transmitting data between said plurality of distributed processing

modules and said task module.

08/12/2004 16:46 FAX @ 013/036

Serial No.: 09/030,258

Art Unit: 2126

11. (Previously Presented) The system as claimed in claim 1 further comprising:

a resource management module, in communication with said task module, including code

Atty. Docket No.: 12217-100

for monitoring event data signals generated by said plurality of event modules and not processed

by said task module and a number of said plurality of distributed processing modules available for

performing particular data processing functionality, and for converting data processing

functionality of said plurality of distributed processing modules in response to dynamic

information regarding said monitored event data signals and said number of available distributed

processing modules to maximize a number of said distributed processing modules processing said

event data signals.

12. (Previously Presented) The system as claimed in claim 11 wherein said resource

management module is in direct communication with said plurality of distributed processing

modules.

13. (Previously Presented) The system as claimed in claim 1 further comprising:

a plurality of initiator modules including code that provides a communication interface

between an associated one of said plurality of distributed processing modules and said task

module.

14. (Previously Presented) The system as claimed in claim 13 wherein each of said

plurality of initiator modules communicates with said associated one of said plurality of distributed

processing modules regardless of native applications contained on said associated one of said

plurality of distributed processing modules.

08/12/2004 16:46 FAX

Atty. Docket No.: 12217-100

Serial No.: 09/030,258

Art Unit: 2126

15. (Original) The system as claimed in claim 13 further comprising:

a protocol disposed between each of said plurality of initiator modules and said task

module for providing a communication interface therebetween.

16. (Previously Presented) The system as claimed in claim 13 further comprising:

a protocol disposed between each of said plurality of initiator modules and said associated

one of said plurality of distributed processing modules for providing a communication interface

therebetween.

17. (Original) The system as claimed in claim 1 further comprising:

a plurality of client modules including code that provides a communication interface

between an associated one of said plurality of event modules and said task module.

18. (Original) The system as described in claim 17 further comprising:

a protocol disposed between said task module and each of said plurality of client modules

for providing a communication interface therebetween.

19. (Original) The system as claimed in claim 17 further comprising:

a protocol disposed between each of said plurality of client modules and said associated

one of said plurality of event modules for providing a communication interface therebetween.

08/12/2004 16:46 FAX

Atty. Docket No.: 12217-100

Serial No.: 09/030,258

Art Unit: 2126

20. (Original) The system as claimed in claim 1 wherein each of said plurality of scripts is preprogrammed to iteratively update its contents.

21. (Original) The system as claimed in claim 1 further comprising:

a storage module, in communication with said task module, for providing storage for said system.

- 22. (Original) The system as claimed in claim 21 wherein said storage module comprises a computer-readable medium.
- 23. (Original) The system as claimed in claim 22 wherein said computer readable medium comprises a persistent memory.
 - 24. (Original) The system as claimed in claim 21 further comprising:
- a script building module, in communication with said storage module, including code that creates said plurality of scripts.
- 25. (Original) The system as claimed in claim 24 wherein said script building module includes a standard language interface.
- 26. (Original) The system as claimed in claim 24 wherein said script building module includes a graphical user interface.

08/12/2004 16:46 FAX 2/2004 16:46 FAX

Serial No.: 09/030,258

Art Unit: 2126

27. (Original) The system as claimed in claim 24 wherein said script building module

Atty. Docket No.: 12217-100

dynamically updates and modifies said plurality of scripts.

28. (Original) The system as claimed in claim 1 further comprising:

a protocol for providing a communication interface between said task module and each of

said plurality of event modules.

29. (Previously Presented) The system as claimed in claim 1 further comprising:

a protocol for providing a communication interface between said task module and each of

said plurality of distributed processing modules.

30. (Previously Presented) The system as claimed in claim 1 further comprising:

a responder module, in communication with said task module, including code that transmits

response data, resulting from said execution, from said task module in a particular format to said

plurality of distributed processing modules or in a particular format to said plurality of event

modules.

31. (Previously Presented) The system as claimed in claim 1 further comprising:

an administrative module, in communication with said task module, including code that

receives and presents data that relates to said plurality of distributed processing modules.

08/12/2004 16:47 FAX @ 017/036

Serial No.: 09/030,258

Art Unit: 2126

32. (Previously Presented) The system as claimed in claim 1 further comprising:

a plurality of application peripherals in communication with an associated one of said

Atty, Docket No.: 12217-100

plurality of distributed processing modules or an associated one of said plurality of event modules.

33. (Currently Amended) A data processing system, comprising:

a plurality of event modules each including code that generates an event data signal

representative of a particular event;

a plurality of scripts each having a plurality of instructions, each of said scripts invoked to

perform a function in response to a corresponding one of said event data signals;

a plurality of processing modules distributed over said data processing system each

including code for performing data processing functionality to provide processed data;

a task module, selectively communicating with each of said plurality of event modules and

said plurality of distributed processing modules, said task module including code for selecting one

of said plurality of scripts that correspond to said event data signal and, during execution of said

selected script, for providing dynamic information comprising statuses of said distributed

processing modules and modifications to said selected script including processed data from

previously processed ones of said plurality of instructions, said selected script [[for]] incorporating

said dynamic information into said currently processing instruction for consideration thereof and,

upon completion of said currently processing instruction of said selected script, said

selected script evaluates for selectively executing, based on said incorporated dynamic information

provided by said task module and processed data from said completed instruction, said selected

seript instruction and selectively executes a next one of said plurality of instructions of said

selected script, and wherein said task module, utilizing said dynamic information, interacts with

08/12/2004 16:47 FAX @ 018/036

Serial No.: 09/030,258 Atty. Docket No.: 12217-100

Art Unit: 2126

said plurality of distributed processing modules for selecting a second available one of said

plurality of distributed processing modules such that said selected script proceeds to a first and to

at least a said second available one of said distributed processing modules for processing

instructions said next instruction within said selected script; and

a resource management module communicating with each of said plurality of event

modules, said task module and said plurality of distributed processing modules, said resource

management module including code for monitoring event data signals generated by said plurality

of event modules and not processed by said task module and a number of said plurality of

distributed processing modules available for performing particular data processing functionality,

and for converting data processing functionality of said plurality of distributed processing modules

in response to dynamic information regarding said monitored event data signals and said number

of available distributed processing modules to maximize a number of said distributed processing

modules processing said event data signals.

34. (Currently Amended) A method of data processing comprising the steps of:

generating at least one event data signal at one or more peripheral modules;

mapping said at least one event data signal to a selected script chosen from one or more

scripts, each said one or more scripts having one or more a plurality of instructions, each of said

scripts invoked to perform a function in response to a corresponding one of said at least one event

data signal; and

executing, by a task module, said selected script such that said selected script proceeds to a

first of a plurality of processing modules for processing a current one of said one or more plurality

of instructions of said selected script;

11

PAGE 18/36 * RCVD AT 8/12/2004 4:42:00 PM [Eastern Daylight Time] * SVR:USPTO-EFXRF-1/6 * DNIS:8729306 * CSID; * DURATION (mm-ss):09-20

08/12/2004 16:47 FAX 2019/036

Serial No.: 09/030,258

Art Unit: 2126

Atty. Docket No.: 12217-100

wherein dynamic information comprises statuses of said plurality of processing modules

and modifications to said selected script including processed data from previously processed ones

of said one or more plurality of instructions, and wherein during execution of said selected script

said task module provides said dynamic information to said selected script, said selected script

incorporating and incorporates said dynamic information into said currently processing ones of

said one or more plurality of instructions for consideration thereof, and

upon completion of said currently processing instruction of said selected script, said

selected script said task module evaluates said incorporated dynamic information provided by said

task module and processed data from said completed instruction and selectively executes a next

one of said plurality of instructions of said selected script, and wherein said task module, utilizing

said dynamic information, interacts with said plurality of processing modules for selecting a

second available one of said plurality of processing modules such that said selected script proceeds

to [[e]] said second available one of said plurality of processing modules for processing [[e]] said

next one of said plurality of instructions instruction within said selected script.

35. (Original) The method as claimed in claim 34 wherein said one or more peripheral

modules and said task module communicate via a communication interface.

36. (Original) The method as claimed in claim 34 further comprising the step of:

dynamically managing operating functions of said one or more peripheral modules.

08/12/2004 16:47 FAX

2020/036

Serial No.: 09/030,258

Art Unit: 2126

Atty. Docket No.: 12217-100

37. (Currently Amended) The method as claimed in claim 34 further comprising the steps of:

producing response data signals as a result of said execution of said-instance of said selected script; and

transmitting said response data signals from said task module to selected ones of said one or more peripheral modules.

38. (Previously Presented) The method as claimed in claim 37 further comprising the step of:

translating said response data signals transmitted from said task module into a format that said selected ones of said one or more peripheral modules recognize.

- 39. (Original) The method as claimed in claim 38 further comprising the step of: storing said event data signals, said one or more scripts and said response data signals in a storage medium that is in communication with said task module.
- 40. (Original) The method as claimed in claim 39 wherein said storage medium is persistent.
- 41. (Previously Presented) The method as claimed in claim 34 further comprising the step of:

accessing a protocol to interface between said task module and selected ones of said one or more peripheral modules.

08/12/2004 16:48 FAX 201/036

Serial No.: 09/030,258 Atty. Docket No.: 12217-100

Art Unit: 2126

42. (Currently Amended) The method as claimed in claim 34 further comprising the step

of:

providing communication between said task module and each of said plurality of

processing modules such that said instance of said selected script proceeds to only ones of said

plurality of processing modules available for performing processing operations.

43. (Original) The method as claimed in claim 34 wherein said executing step includes the

step of:

interfacing with a plurality of said one or more peripheral modules substantially

simultaneously.

44. (Original) The method as claimed in claim 34 wherein said executing step executes a

plurality of said one or more scripts substantially simultaneously.

45. (Original) The method as claimed in claim 34 wherein said execution of said one or

more instructions dynamically incorporates data gathered in previously executed instructions.

46. (Original) The method as claimed in claim 34 further comprising the step of:

providing results of said executing step to an administrative module for presenting

information relating to said one or more peripheral modules.

47.-59. (Previously Cancelled)

14

PAGE 21/36 * RCVD AT 8/12/2004 4:42:00 PM [Eastern Daylight Time] * SVR:USPTO-EFXRF-1/6 * DNIS:8729306 * CSID: * DURATION (mm-ss):09-20

Serial No.: 09/030,258

Art Unit: 2126

Atty. Docket No.: 12217-100

60. (Currently Amended) In a data processing system, a method for responding to event

data, comprising:

receiving event data from a requesting one of a plurality of event modules;

mapping the event data to a selected one of a plurality of scripts, the plurality of scripts

including instructions for responding to event data;

executing, by a task module, the selected script such that the selected script proceeds to a

first of a plurality of processing modules for processing of a current one of the instructions of the

selected script;

wherein dynamic information comprises statuses of the plurality of processing modules

and modifications to the selected script including processed data from previously processed ones

of the instructions, and wherein during the execution of the selected script the task module

provides the dynamic information to the selected script, the selected script incorporating and

incorporates the dynamic information into the currently processing instruction for consideration

thereof, and

upon completion of the currently processing instruction of the selected script, the selected

script the task module evaluates the incorporated dynamic information provided by the task

module and processed data from the completed instruction and selectively executes a next one of

the plurality of instructions of the selected script, and wherein said task module, utilizing the

dynamic information, interacts with the plurality of processing modules for selecting a second

available one of the plurality of processing modules such that the selected script proceeds to [[a]]

the second available one of the plurality of processing modules for processing [[a]] the next

instruction one of the plurality of instructions within the selected script;

Serial No.: 09/030,258

Art Unit: 2126

building a response profile including results generated during execution of the selected

Atty. Docket No.: 12217-100

script; and

wherein when the instructions within the selected script are completed, transmitting the

response profile to the requesting one of the plurality of event modules.

61. (Previously Presented) The method as claimed in claim 60 wherein the generated

results include event data.

62. (Previously Presented) The method as claimed in claim 60, comprising:

tracing execution of the instructions within the selected script and processing of the

processing modules; and

wherein when a processing module fails, continuing execution of the selected script and the

processing of the processing modules from a last traced instruction.

63. (Currently Amended) A data processing system, comprising:

a plurality of event modules each including code that generates a first event data signal

representative of a first event;

a plurality of scripts each having a plurality of instructions, each of said scripts invoked to

perform a function in response to a corresponding one of said first event data signals;

a plurality of processing modules each including code that provides processed data, a

subset of said plurality of processing modules having code that selectively generates a second

event data signal representative of a second event; and

16

PAGE 23/36 * RCVD AT 8/12/2004 4:42:00 PM [Eastern Daylight Time] * SVR:USPTO-EFXRF-1/6 * DNIS:8729306 * CSID: * DURATION (mm-ss):09-20

Serial No.: 09/030,258

Art Unit: 2126

Atty. Docket No.: 12217-100

a task module, selectively communicating with each of said plurality of event modules and

said plurality of processing modules, said task module including code for selecting ones of said

plurality of scripts that corresponds to said first and second event data signals, and for executing

said selected scripts such that said selected scripts proceed to a first of said plurality of processing

modules for processing a current one of said plurality of instructions within each of said instances;

wherein dynamic information comprises statuses of said plurality of processing modules

and modifications to said selected scripts including processed data from previously processed

instructions, and wherein during execution of said selected scripts, said task module provides said

dynamic information to said selected scripts, said selected scripts incorporating and incorporates

said dynamic information into said currently processing instructions for consideration thereof, and

upon completion of said currently processing instructions of said selected script, said

selected script said-task module evaluates said incorporated dynamic information provided by said

task module and processed data from said completed instructions and selectively executes a next

one of said plurality of instructions of said selected script, and wherein said task module, utilizing

said dynamic information, interacts with said plurality of processing modules for selecting a

second available one of said plurality of processing modules such that said selected scripts proceed

to [[a]] said second available one of said plurality of processing modules for processing of [[a]]

said next instruction one of the plurality of instructions within said selected scripts.